

**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 05/29/2015

Reviewed on 05/29/2015

**1 Identification**

- **Product identifier**
- **Trade name:** IMP199 Adhesion Promoter
- **Article number:** IMP199
- **Relevant identified uses of the substance or mixture and uses advised against**  
No further relevant information available.
- **Application of the substance / the mixture** Coating
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
Manufactured for Refinish Distributors Alliance  
PO Box 10431 Jackson, TN 38308
- **Information department:** 731 394 9366 Refinish Distributor Alliance [www.impactcollisionsolutions.com](http://www.impactcollisionsolutions.com)
- **Emergency telephone number:** CHEMTREC 1-800-424-9300

**2 Hazard(s) identification**

- **Classification of the substance or mixture**



GHS02 GHS04 Flame, Gas cylinder

Flam. Aerosol 1 H222-H229 Extremely flammable aerosol. Pressurized container: May burst if heated.



GHS08 Health hazard

Repr. 2	H361	Suspected of damaging fertility or the unborn child.
STOT RE 2	H373	May cause damage to organs through prolonged or repeated exposure.
Asp. Tox. 1	H304	May be fatal if swallowed and enters airways.



GHS07

Skin Irrit. 2	H315	Causes skin irritation.
Eye Irrit. 2A	H319	Causes serious eye irritation.
STOT SE 3	H336	May cause drowsiness or dizziness.

- **Label elements**
- **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).

(Contd. on page 2)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 05/29/2015

Reviewed on 05/29/2015

Trade name: **IMP199 Adhesion Promoter**

(Contd. of page 1)

· **Hazard pictograms**· **Signal word** *Danger*· **Hazard-determining components of labeling:**

toluene  
Solvent naphtha (petroleum), medium aliph.  
acetone  
n-butyl acetate

· **Hazard statements**

H222-H229 *Extremely flammable aerosol. Pressurized container: May burst if heated.*  
H315 *Causes skin irritation.*  
H319 *Causes serious eye irritation.*  
H361 *Suspected of damaging fertility or the unborn child.*  
H336 *May cause drowsiness or dizziness.*  
H373 *May cause damage to organs through prolonged or repeated exposure.*  
H304 *May be fatal if swallowed and enters airways.*

· **Precautionary statements**

P210 *Keep away from heat/sparks/open flames/hot surfaces. - No smoking.*  
P251 *Pressurized container: Do not pierce or burn, even after use.*  
P260 *Do not breathe dust/fume/gas/mist/vapors/spray.*  
P211 *Do not spray on an open flame or other ignition source.*  
P280 *Wear protective gloves.*  
P280 *Wear eye protection / face protection.*  
P301+P310 *If swallowed: Immediately call a poison center/doctor.*  
P305+P351+P338 *If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.*  
P321 *Specific treatment (see on this label).*  
P304+P340 *IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.*  
P312 *Call a poison center/doctor if you feel unwell.*  
P405 *Store locked up.*  
P410+P412 *Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.*  
P403+P233 *Store in a well-ventilated place. Keep container tightly closed.*  
P501 *Dispose of contents/container in accordance with local/regional/national/international regulations.*

· **Classification system:**· **NFPA ratings (scale 0 - 4)**· **HMIS-ratings (scale 0 - 4)**

(Contd. on page 3)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 05/29/2015

Reviewed on 05/29/2015

**Trade name: IMP199 Adhesion Promoter**

(Contd. of page 2)

- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

### \* 3 Composition/information on ingredients

- **Chemical characterization: Mixtures**
- **Description:**  
Mixture: consisting of the following components.  
Weight percentages

- **Dangerous components:**

68476-86-8	Petroleum gases, liquefied, sweetened	13 - 30%
64742-88-7	Solvent naphtha (petroleum), medium aliph.	13 - 30%
108-88-3	toluene	13 - 30%
67-64-1	acetone	13 - 30%
123-86-4	n-butyl acetate	7 - 10%

### \* 4 First-aid measures

- **Description of first aid measures**
- **After inhalation:** In case of unconsciousness place patient stably in side position for transportation.
- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.
- **After swallowing:** If symptoms persist consult doctor.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

### 5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** CO<sub>2</sub>, sand, extinguishing powder. Do not use water.
- **For safety reasons unsuitable extinguishing agents:** Water with full jet
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

### 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**  
Wear protective equipment. Keep unprotected persons away.
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**  
Dispose contaminated material as waste according to item 13.  
Ensure adequate ventilation.

(Contd. on page 4)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 05/29/2015

Reviewed on 05/29/2015

**Trade name: IMP199 Adhesion Promoter**

(Contd. of page 3)

*Do not flush with water or aqueous cleansing agents*

· **Reference to other sections**

*See Section 7 for information on safe handling.*

*See Section 8 for information on personal protection equipment.*

*See Section 13 for disposal information.*

## 7 Handling and storage

· **Handling:**

· **Precautions for safe handling**

*No special measures required.*

*Ensure good ventilation/exhaustion at the workplace.*

*Open and handle receptacle with care.*

· **Information about protection against explosions and fires:**

*Do not spray on a naked flame or any incandescent material.*

*Keep ignition sources away - Do not smoke.*

*Protect against electrostatic charges.*

*Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50 °C, i.e. electric lights. Do not pierce or burn, even after use.*

· **Conditions for safe storage, including any incompatibilities**

· **Storage:**

· **Requirements to be met by storerooms and receptacles:**

*Store in a cool location.*

*Observe official regulations on storing packagings with pressurized containers.*

· **Information about storage in one common storage facility: Not required.**

· **Further information about storage conditions:**

*Keep receptacle tightly sealed.*

*Do not gas tight seal receptacle.*

*Store in cool, dry conditions in well sealed receptacles.*

*Protect from heat and direct sunlight.*

· **Specific end use(s) No further relevant information available.**

## \* 8 Exposure controls/personal protection

· **Additional information about design of technical systems: No further data; see item 7.**

· **Control parameters**

· **Components with limit values that require monitoring at the workplace:**

**108-88-3 toluene**

PEL Long-term value: 200 ppm  
Ceiling limit value: 300; 500\* ppm  
\*10-min peak per 8-hr shift

REL Short-term value: 560 mg/m<sup>3</sup>, 150 ppm  
Long-term value: 375 mg/m<sup>3</sup>, 100 ppm

TLV Long-term value: 75 mg/m<sup>3</sup>, 20 ppm  
BEI

**67-64-1 acetone**

PEL Long-term value: 2400 mg/m<sup>3</sup>, 1000 ppm

(Contd. on page 5)

## Safety Data Sheet

acc. to OSHA HCS

Printing date 05/29/2015

Reviewed on 05/29/2015

**Trade name: IMP199 Adhesion Promoter**

(Contd. of page 4)

<i>REL</i>	Long-term value: 590 mg/m <sup>3</sup> , 250 ppm
<i>TLV</i>	Short-term value: (1782) NIC-1187 mg/m <sup>3</sup> , (750) NIC-500 ppm Long-term value: (1188) NIC-594 mg/m <sup>3</sup> , (500) NIC-250 ppm BEI

**123-86-4 n-butyl acetate**

<i>PEL</i>	Long-term value: 710 mg/m <sup>3</sup> , 150 ppm
<i>REL</i>	Short-term value: 950 mg/m <sup>3</sup> , 200 ppm Long-term value: 710 mg/m <sup>3</sup> , 150 ppm
<i>TLV</i>	Short-term value: 950 mg/m <sup>3</sup> , 200 ppm Long-term value: 713 mg/m <sup>3</sup> , 150 ppm

**· Ingredients with biological limit values:**

**108-88-3 toluene**

<i>BEI</i>	0.02 mg/L Medium: blood Time: prior to last shift of workweek Parameter: Toluene
	0.03 mg/L Medium: urine Time: end of shift Parameter: Toluene
	0.3 mg/g creatinine Medium: urine Time: end of shift Parameter: o-Cresol with hydrolysis (background)

**67-64-1 acetone**

<i>BEI</i>	50 mg/L Medium: urine Time: end of shift Parameter: Acetone (nonspecific)
------------	--

· **Additional information:** The lists that were valid during the creation were used as basis.

· **Exposure controls**

· **Personal protective equipment:**

· **General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.  
Immediately remove all soiled and contaminated clothing.  
Wash hands before breaks and at the end of work.  
Avoid contact with the skin.  
Avoid contact with the eyes and skin.

· **Breathing equipment:**

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· **Protection of hands:**

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

(Contd. on page 6)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 05/29/2015

Reviewed on 05/29/2015

**Trade name: IMP199 Adhesion Promoter**

(Contd. of page 5)

*Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation*



Protective gloves

*The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.*

· **Material of gloves**

*The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.*

· **Penetration time of glove material**

*The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.*

· **Eye protection:**



Tightly sealed goggles

## 9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

<b>Form:</b>	Aerosol
<b>Color:</b>	According to product specification
<b>Odor:</b>	Characteristic
<b>Odour threshold:</b>	Not determined.

· **pH-value:** Not determined.

· **Change in condition**

<b>Melting point/Melting range:</b>	Undetermined.
<b>Boiling point/Boiling range:</b>	55 °C

· **Flash point:** -103 °C

· **Flammability (solid, gaseous):** Not applicable.

· **Ignition temperature:** 265 °C

· **Decomposition temperature:** Not determined.

· **Auto igniting:** Product is not selfigniting.

· **Danger of explosion:** In use, may form flammable/explosive vapour-air mixture.

· **Explosion limits:**

<b>Lower:</b>	0.6 Vol %
<b>Upper:</b>	13.0 Vol %

· **Vapor pressure at 20 °C:** 233 hPa

· **Density at 20 °C:** 0.72652 g/cm<sup>3</sup>

· **Relative density** Not determined.

(Contd. on page 7)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 05/29/2015

Reviewed on 05/29/2015

Trade name: **IMP199 Adhesion Promoter**

(Contd. of page 6)

· <b>Vapour density</b>	Not determined.
· <b>Evaporation rate</b>	Not applicable.
· <b>Solubility in / Miscibility with Water:</b>	Not miscible or difficult to mix.
· <b>Partition coefficient (n-octanol/water):</b>	Not determined.
· <b>Viscosity:</b>	
<b>Dynamic:</b>	Not determined.
<b>Kinematic:</b>	Not determined.
· <b>Solvent content:</b>	
<b>Organic solvents:</b>	96.6 %
<b>VOC content:</b>	79.7 %
	685.4 g/l / 5.72 lb/gl
<b>Solids content:</b>	3.4 %
· <b>Other information</b>	No further relevant information available.

## 10 Stability and reactivity

- **Reactivity**
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

## 11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**

- **LD/LC50 values that are relevant for classification:**

**64742-88-7 Solvent naphtha (petroleum), medium aliph.**

Oral	LD50	>6500 mg/kg (rat)
Dermal	LD50	>3000 mg/kg (rab)
Inhalative	LC50/4 h	>14 mg/l (rat)

**108-88-3 toluene**

Oral	LD50	5000 mg/kg (rat)
Dermal	LD50	12124 mg/kg (rabbit)
Inhalative	LC50/4 h	5320 mg/l (mouse)

- **Primary irritant effect:**
- **on the skin:** Irritant to skin and mucous membranes.
- **on the eye:** No irritating effect.
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**

The product shows the following dangers according to internally approved calculation methods for preparations:

(Contd. on page 8)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 05/29/2015

Reviewed on 05/29/2015

Trade name: **IMP199 Adhesion Promoter**

(Contd. of page 7)

Irritant

· **Carcinogenic categories**· **IARC (International Agency for Research on Cancer)**

108-88-3 | toluene

3

· **NTP (National Toxicology Program)**

None of the ingredients is listed.

· **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

## 12 Ecological information

· **Toxicity**· **Aquatic toxicity:** No further relevant information available.· **Persistence and degradability** No further relevant information available.· **Behavior in environmental systems:**· **Bioaccumulative potential** No further relevant information available.· **Mobility in soil** No further relevant information available.· **Additional ecological information:**· **General notes:**

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

· **Results of PBT and vPvB assessment**· **PBT:** Not applicable.· **vPvB:** Not applicable.· **Other adverse effects** No further relevant information available.

## 13 Disposal considerations

· **Waste treatment methods**· **Recommendation:**

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· **Uncleaned packagings:**· **Recommendation:** Disposal must be made according to official regulations.

## 14 Transport information

· **UN-Number**· **DOT, ADR, IMDG, IATA**

UN1950

· **UN proper shipping name**· **DOT**

Aerosols, flammable

· **ADR**

1950 Aerosols

· **IMDG**

AEROSOLS

· **IATA**

AEROSOLS, flammable

(Contd. on page 9)

USA



# Safety Data Sheet

acc. to OSHA HCS

Printing date 05/29/2015

Reviewed on 05/29/2015

Trade name: **IMP199 Adhesion Promoter**

(Contd. of page 8)

· **Transport hazard class(es)**· **DOT**

· **Class** 2.1  
 · **Label** 2.1

· **ADR**

· **Class** 2 5F Gases  
 · **Label** 2.1

· **IMDG, IATA**

· **Class** 2.1  
 · **Label** 2.1

· **Packing group**· **DOT, ADR, IMDG, IATA** Void· **Environmental hazards:**· **Marine pollutant:** No· **Special precautions for user** Warning: Gases· **EMS Number:** F-D,S-U· **Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code** Not applicable.· **Transport/Additional information:**· **DOT**

· **Quantity limitations** On passenger aircraft/rail: 75 kg  
 On cargo aircraft only: 150 kg

· **ADR**

· **Excepted quantities (EQ)** Code: E0  
 Not permitted as Excepted Quantity

· **IMDG**

· **Limited quantities (LQ)** 1L  
 · **Excepted quantities (EQ)** Code: E0  
 Not permitted as Excepted Quantity

(Contd. on page 10)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 05/29/2015

Reviewed on 05/29/2015

Trade name: **IMP199 Adhesion Promoter**

(Contd. of page 9)

· UN "Model Regulation":	UN1950, Aerosols, 2.1
--------------------------	-----------------------

## 15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- Sara

· Section 355 (extremely hazardous substances):	
---	--

None of the ingredient is listed.
-----------------------------------

· Section 313 (Specific toxic chemical listings):	
---	--

108-88-3	toluene
----------	---------

78-93-3	butanone
---------	----------

· TSCA (Toxic Substances Control Act):	
--	--

68476-86-8	Petroleum gases, liquefied, sweetened
------------	---------------------------------------

64742-88-7	Solvent naphtha (petroleum), medium aliph.
------------	--

108-88-3	toluene
----------	---------

67-64-1	acetone
---------	---------

123-86-4	n-butyl acetate
----------	-----------------

78-93-3	butanone
---------	----------

· Proposition 65	
------------------	--

· Chemicals known to cause cancer:	
------------------------------------	--

None of the ingredients is listed.
------------------------------------

· Chemicals known to cause reproductive toxicity for females:	
---	--

108-88-3	toluene
----------	---------

· Chemicals known to cause reproductive toxicity for males:	
---	--

None of the ingredients is listed.
------------------------------------

· Chemicals known to cause developmental toxicity:	
--	--

108-88-3	toluene
----------	---------

· Cancerogenity categories	
----------------------------	--

· EPA (Environmental Protection Agency)	
---	--

108-88-3	toluene	II
----------	---------	----

67-64-1	acetone	I
---------	---------	---

78-93-3	butanone	I
---------	----------	---

· TLV (Threshold Limit Value established by ACGIH)	
--	--

108-88-3	toluene	A4
----------	---------	----

67-64-1	acetone	A4
---------	---------	----

· NIOSH-Ca (National Institute for Occupational Safety and Health)	
--	--

None of the ingredients is listed.
------------------------------------

- GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).

(Contd. on page 11)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 05/29/2015

Reviewed on 05/29/2015

Trade name: **IMP199 Adhesion Promoter**

(Contd. of page 10)

· **Hazard pictograms**

GHS02   GHS04   GHS07   GHS08

· **Signal word** *Danger*· **Hazard-determining components of labeling:**

toluene  
Solvent naphtha (petroleum), medium aliph.  
acetone  
n-butyl acetate

· **Hazard statements**

H222-H229 *Extremely flammable aerosol. Pressurized container: May burst if heated.*  
H315 *Causes skin irritation.*  
H319 *Causes serious eye irritation.*  
H361 *Suspected of damaging fertility or the unborn child.*  
H336 *May cause drowsiness or dizziness.*  
H373 *May cause damage to organs through prolonged or repeated exposure.*  
H304 *May be fatal if swallowed and enters airways.*

· **Precautionary statements**

P210 *Keep away from heat/sparks/open flames/hot surfaces. - No smoking.*  
P251 *Pressurized container: Do not pierce or burn, even after use.*  
P260 *Do not breathe dust/fume/gas/mist/vapors/spray.*  
P211 *Do not spray on an open flame or other ignition source.*  
P280 *Wear protective gloves.*  
P280 *Wear eye protection / face protection.*  
P301+P310 *If swallowed: Immediately call a poison center/doctor.*  
P305+P351+P338 *If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.*  
P321 *Specific treatment (see on this label).*  
P304+P340 *IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.*  
P312 *Call a poison center/doctor if you feel unwell.*  
P405 *Store locked up.*  
P410+P412 *Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.*  
P403+P233 *Store in a well-ventilated place. Keep container tightly closed.*  
P501 *Dispose of contents/container in accordance with local/regional/national/international regulations.*

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

## 16 Other information

*This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.*

· **Department issuing SDS:** Environment protection department.

· **Contact:** RDA Safety Department 731 394 9366

· **Date of preparation / last revision** 05/29/2015 / 6

· **Abbreviations and acronyms:**

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

(Contd. on page 12)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 05/29/2015

Reviewed on 05/29/2015

**Trade name: IMP199 Adhesion Promoter**

(Contd. of page 11)

*ICAO: International Civil Aviation Organisation**ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)**IMDG: International Maritime Code for Dangerous Goods**DOT: US Department of Transportation**IATA: International Air Transport Association**ACGIH: American Conference of Governmental Industrial Hygienists**EINECS: European Inventory of Existing Commercial Chemical Substances**ELINCS: European List of Notified Chemical Substances**CAS: Chemical Abstracts Service (division of the American Chemical Society)**NFPA: National Fire Protection Association (USA)**HMIS: Hazardous Materials Identification System (USA)**VOC: Volatile Organic Compounds (USA, EU)**LC50: Lethal concentration, 50 percent**LD50: Lethal dose, 50 percent**Flam. Aerosol 1: Flammable aerosols, Hazard Category 1**Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2**Eye Irrit. 2A: Serious eye damage/eye irritation, Hazard Category 2A**Repr. 2: Reproductive toxicity, Hazard Category 2**STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3**STOT RE 2: Specific target organ toxicity - Repeated exposure, Hazard Category 2**Asp. Tox. 1: Aspiration hazard, Hazard Category 1***· \* Data compared to the previous version altered.**

USA